

SCHIFF, HARDIN LLP

PATENT DEPARTMENT

6600 SEARS TOWER

233 SOUTH WACKER DRIVE

CHICAGO, ILLINOIS 60606

Karin JÄRVERUD

CONFIRMATION NO.: 8711

SERIAL NO.:

10/620,199

GROUP ART UNIT: 3766

FILED:

July 14, 2003

EXAMINER: Natasha Patel

September 5, 2006

TITLE:

MONITOR FOR EARLY DETECTION OF ISCHEMIC HEART DISEASE

APPLICANT'S RESPONSE TO THE JULY 5, 2006 OFFICE ACTION MAIL STOP AMENDMENT

Commissioner for Patents

P.O. Box 1450

Alexandria, Virginia 22313-1450

SIR:

Transmitted herewith is an amendment in the above-identified application.

No additional fee is required.

The fee has been calculated as shown below.

	CLAIMS REMAINING AFTER AMENDMENT	14 4 W W 1	(4) HIGHEST NO. PREVIOUSLY PAID FOR	(5) PRESENT EXTRA	(6) RATE	(7) ADDITION FEE
TOTAL CLAIMS	*22	MINUS	**22	x	() X 25.00 () X 50.00	
INDEP. CLAIMS	*1	MINUS	1	х	() X 10000 () X 20000	
	mended to contain dependent claims y paid for.			(') YES	()\$180.00 ()\$360.00 ONE TIME	

	FOR THIS AMENDMENT	\$0.00			
**	* If the entry in Column 2 is less than the entry in Column 5. If the "Highest Number Previously Paid For" IN THIS SPACE is less than 20 write "20" in this space. Applicants petition the Commissioner of Patents and Trademarks to extend this time for response to the Office Action dated for A check in the amount of \$ is attached.				
	to cover the cost of the extension. Any deficiency or overpayment should 501519. A duplicate copy of this sheet is enclosed. A check in the amount of \$ is attached. A check for \$ accompanying IDS under 37 CFR 1.97(c) is attached A check for \$ and Petition for Consideration of IDS under 37 CFR 1.97. The Commissioner is hereby authorized to charge any additional fees which to account No. 501519. A duplicate of this sheet is enclosed. When phoning re this application, please call (312) 258-5500.	7(d) is attached.			
	ereby certify that this correspondence is being deposited with the United States relope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, 96.				



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE RESPONSE TO THE JULY 5, 2006 OFFICE ACTION

APPLICANTS:

Karin JÄRVERUD

CONFIRMATION NO.: 8711

SERIAL NO.:

10/620,199

GROUP ART UNIT: 3766

FILED:

July 14, 2003

EXAMINER: Natasha Patel

TITLE:

MONITOR FOR EARLY DETETCTION OF ISCHEMIC HEART

DISEASE

Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450

SIR:

Applicant and her counsel have carefully reviewed the Office Action dated July 5, 2006, but believe the claims in their present form are patentable over the references cited by the Examiner that are available for use against the subject matter of the present application. Reconsideration of the application in view of the following arguments in support of patentability is therefore respectfully requested.

REMARKS

In the Office Action dated July 5, 2006, claims 1-3 were rejected under 35 U.S.C. §103(a) as being unpatentable over an article by Järverud et al, in view of United States Patent No. 5,735,286 (Notton et al). Claims 15-22 were rejected under 35 U.S.C. §103(a) as being unpatentable over this same combination, further in view of Noren et al.

These rejections are respectfully traversed for the following reasons.

Applicant notes with appreciation that claims 4-14 were stated to be allowable if rewritten in independent form, however, in view of Applicant's traversal of the above rejections, those claims have been retained in dependent form at this time.